

# General Automation, Inc.

---

RELEASE NOTES

January 5, 1998

---

## **mv.ENTERPRISE**

# **Release 4.0.4 on UnixWare**

(Part Number 88-02003A01)

Doc. Rev. AA

© 1997 General Automation Systems, Inc.



This document refers to products that might yet be announced by Product Marketing or be generally available. Please consult your General Automation Representative for more information.



# Table of Contents

<b>mv.ENTERPRISE Release 4.0.4 .....</b>	<b>5</b>
Product Overview .....	5
New Features Since mv.ENTERPRISE 4.0.1 .....	6
BASIC Enhancements .....	6
Hardware Dependencies .....	7
Software Dependencies.....	7
<b>Corrections and Restrictions .....</b>	<b>8</b>
Since mv.ENTERPRISE 4.0.1 .....	8
BASIC Corrections.....	8
Monitor Corrections .....	8
Save/Restore Corrections .....	8
<b>Cautions .....</b>	<b>9</b>
kill -9 .....	9
<b>Documentation .....</b>	<b>10</b>



---

# mv.ENTERPRISE Release 4.0.4

---

## Product Overview

mv.ENTERPRISE is a specialized data base management operating system that runs on an online, multi-user environment. All system resources and data files are efficiently managed by a true virtual memory operating system which provides users with maximum performance and reliability. The mv.ENTERPRISE Operating System is specifically designed to provide efficient and cost-effective data management application tools.

---

**NOTE:** It is important that you read through ALL sections of these *Release Notes* and the *Installation Guide* before you install mv.ENTERPRISE Release 4.0.4. If you have any questions or comments, please call General Automation Customer Support at (800) 648-5258 or your local office before proceeding.

---

---

## New Features Since mv.ENTERPRISE 4.0.1

The following new features are included in mv.ENTERPRISE Release 4.0.4, and have been added since mv.ENTERPRISE 4.0.1.

### BASIC Enhancements

- Enhanced the SYSTEM function to now return two attributes for SYSTEM(100).
  - The first value returns the software version and release date.
  - The second value returns a 3-character code which identifies the operating system. The codes are:

<b>Code</b>	<b>Operating System</b>
AIX	AIX
MPR	MP-RAS
UXW	UnixWare

---

## Hardware Dependencies

The floppy disk drive is not currently supported under mv. ENTERPRISE Release 4.0.4.

---

## Software Dependencies

mv. ENTERPRISE Release 4.0.4 requires UnixWare Release 2.01, 2.03 or 2.1.

---

## Corrections and Restrictions

The following sections include errors and corrected SPRs, or restrictions for this release. Where appropriate, associated SPR numbers are noted within parentheses.

---

### Since mv. ENTERPRISE 4.0.1

#### BASIC Corrections

- Improved workspace usage in tighter loops when using FOR/NEXT loops.
- Fixed problem with GET statement not returning on a Phantom line when an EOF is encountered.

#### Monitor Corrections

- Corrected problem with monitor option -ol not working correctly on a telnet disconnect.

#### Save/Restore Corrections

- Corrected problem with restore options I and D not working correctly.

---

## Cautions

---

### kill -9

Issuing a kill -9 of an mv.ENTERPRISE process can have unpredictable and/or catastrophic side effects including database/overflow corruption. Further, restarting a Pick process without having initialized the line via a LOGOFF (Z may cause additional system damage.

---

**WARNING:** A kill -9 should not be used to remove a process unless recommended by General Automation Customer Support.

---

A performance change in mv.ENTERPRISE, which reduced how often a process updates its virtual return stack image, requires that a WHERE be executed on a process before a kill -9 is performed. The WHERE will signal the process to update its process virtual return stack image. Verification that the signal was received should be made by executing a second WHERE.

Before performing a kill -9, the user should always verify the Unix process status of an mv.ENTERPRISE process. Unless the process is known to be waiting at terminal I/O, performing a kill - 9 will require that the Pick process virtual return stack be cleaned up prior to restarting the Pick line. The process can be cleaned up using LOGOFF (Z. This is the only time LOGOFF (Z should be used. If LOGOFF (Z is required to logoff a Pick line under normal conditions, you have a problem which requires the intervention of General Automation Customer Support.

---

**IMPORTANT:** A kill -5 HAS THE SAME EFFECT ON PICK AS A kill -9.

---

---

## Documentation

The following documentation supports mv.ENTERPRISE Release 4.0.4:

- mv.ENTERPRISE User Reference Manual  
(Part Number 84-00014A00).
- Assembly Language Manual (Part Number 05627-001).

To order any of the above titles, or to inquire about other manuals published by General Automation, contact Order Administration at the following address:

General Automation, Inc.  
17731 Mitchell North  
Irvine, CA 92614  
Attention: Order Administration

Fax: (714) 752-6773  
Fax: 001-1-714-752-6773 (International customers)  
Phone: (800) 854-0140  
E-mail [OrderAdmin@genauto.com](mailto:OrderAdmin@genauto.com)

If you have any requests, comments, corrections or questions regarding the *content* of mv.ENTERPRISE documentation, contact the Technical Publications Department at General Automation through the above address or at [techpubs@genauto.com](mailto:techpubs@genauto.com).

## Index

### B

BASIC Enhancements, 6

### C

Cautions, 9  
kill -9, 9  
LOGOFF (Z), 9  
Corrections and Restrictions, 8

### D

Dependencies  
Hardware, 7  
Software, 7  
Documentation, 10

### E

Enhancements  
BASIC, 6

### F

Floppy disk drive, 7

### H

Hardware Dependencies, 7

### K

kill -9, 9

### N

New Features, 6

### S

Software Dependencies, 7

